

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Docket No.: MAYERHOFER

In re Application of:)	
ROLAND MAYERHOFER et al.)	
Appl. No.: 10/563,080)	Group Art Unit: 2854
Filed: July 18, 2006)	Confirmation No.: 8118
For: METHOD FOR PRODUCING A PRINTING)	
PLATE FOR INTAGLIO PRINTING AND)	
CORRESPONDING PRINTING PLATE)	

THIRD INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

S I R:

CERTIFICATION OF EFS-WEB TRANSMISSION	
I hereby certify that this paper is being EFS-Web transmitted to the U.S. Patent and Trademark Office, Alexandria VA 22313-1450, on <u>March 5, 2007</u> .	
Date	
<u>Henry M. Fejersisen</u>	
(Name of Registered Representative)	
	<u>3-5-2007</u>
(Signature)	(Date of Signature)

In accordance with 37 C.F.R. 1.56, applicant wishes to call the attention of attention of the Examiner to the references listed on enclosed form PTO-1449.

Applicant does not admit that any of the cited documents constitutes prior art against the pending application.

Copies of these references are submitted herewith along with form PTO-1449. The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

This Information Disclosure Statement is filed before the mailing of a first Office Action on the merits, so that no fee under 37 C.F.R. §1.97 is due.

In addition, applicant notes with respect to any information that is not in English language as follows:

International Publication No. WO 97/48555 describes a process for producing dies, especially of deep-drawn steel. Here, a surface component is obtained from a line drawing, where the edge of the surface component defines a nominal outline (9). From the nominal outline and a nominal depth allocated to the surface component, a tool path (12, 17, 18, 19, 20) is then calculated by means of which an engraving tool is guided in such a way that the partial surface is removed.

International Publication No. WO 00/20216 describes a data carrier with a printed image that is produced by means of a gravure process. The printed image comprises at least one first color surface with a first color coating thickness and a second color surface adjacent to the first color surface and provided with a second color coating thickness, whereby the thicknesses of the two color coatings are different. The first and second color surfaces are divided by a sharp borderline that is invisible to the naked eye and the color coating thickness of both color surfaces corresponds to a minimum thickness in the region of the borderline.

International Publication No. WO 00/20217 discloses printing plates for full printing of large surfaces by means of a gravure process, a method for the production of the printing plates, and data carriers, especially banknotes with large-surface printed images that are produced according to a gravure process. In order to guarantee faultless inking, separating segments are provided in the engraving of the printing plate, whereby the separating segments protrude above the base surface of the engraving area in a perpendicular manner and are at least half as high as the depth of the engraving. The separating segments prevent, to a large extent, the printer's color from being removed from the engraving surfaces when the printer's color is wiped off from the surface of the printing plates.

International Publication No. WO 01/49505 describes a data carrier with a printed security image that is produced by means of a gravure process. The printed security image consists of several contrasting structural elements that are disposed in exact register relative to one another. A first part of the structural elements is relief-like and can be felt tactually while a second part of the structural elements is flat and cannot be felt tactually.

International Publication No. WO 02/20268 describes a data carrier printed according to a gravure printing method. The data carrier has a half-tone image represented by irregular linear structures in an engraved manner. The linear structures are at least partially superimposed by fine structures which are reproduced in a positive and/or a negative representation. Also disclosed are methods for producing and processing the irregular linear structures in the form of digital image data on a computer, according to the individual preconditions of a server. The linear structures are transferred onto a gravure printing plate, the digital image data being used to control an engraving device, or, using other printing methods, said linear structures are at least partially superimposed by fine structures which are reproduced in a positive and/or a negative representation.

International Publication No. WO 02/20274 describes a data carrier comprising a security element which can be at least visually checked and which comprises embossing in at least one partial area. The embossing is a half-tone blind embossing carried out by means of colorfast gravure printing.

International Publication No. WO 02/20279 describes a gravure printing plate for producing a printed image, including at least one engraved area in the printing plate surface. The engraved area has at least one structural element, the edge area thereof having a larger engraving depth than the inner area, the edge area and the inner area are directly adjacent to each other, and the inner area is embodied as a sunken plateau in relation to the printing plate surface.

The above-identified application discloses and claims an invention patentable over this prior art.

Entry of the references above set forth into the file of the above application is believed to be in order and is respectfully requested.

The Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. 06-0502.

Respectfully submitted

By: 

Henry M. Feiereisen
Agent for Applicant
Reg. No.: 31,084

Date: March 5, 2007
350 Fifth Avenue
Suite 4714
New York, N.Y. 10118
(212) 244-5500
HMF:af

INFORMATION DISCLOSURE CITATION

Attorney's Docket No. MAYERHOFER	Applicant ROLAND MAYERHOFER et al.	Appl. No. 10/563,080
Filing Date July 18, 2006	Group 2854	Examiner

U.S. PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date, if appropriate

FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Subclass	Translation
/32/	WO 97/48555	12-24-1997	PCT			
↓	WO 00/20216	04-13-2000	PCT			
	WO 00/20217	04-13-2000	PCT			
	WO 01/49505	07-12-2001	PCT			
	WO 02/20268	03-14-2002	PCT			
↓	WO 02/20274	03-14-2002	PCT			
	WO 02/20279	03-14-2002	PCT			

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

Examiner: /Joshua Zimmerman/	Date considered: 03/11/2008
--	---------------------------------------

*Examiner: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.